

FIG. 1




FIG. 2




FIG. 3





Fig. 3C

Fig. 3B

Fig. 3A


FIG. 4

Effect of NM-3 and paclitaxel on 50mm<sup>3</sup> pre-existing MDAMB435 tumor xenografts.




**FIG. 5**

Effect of NM-3 and paclitaxel on 100 mm<sup>3</sup> pre-existing MDAMB-435 tumor xenografts.



**FIG. 6**


Comparison of NM-3 dosing regimes against 100 mm<sup>3</sup> pre-existing MDA-MB-435 tumor xenografts: daily, bid, and continuous.



Downloaded from ascelibrary.org by University of California, San Diego on 06/01/15. Copyright ASCE, For All Rights Reserved, No part of this document may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage or retrieval system, without permission in writing from the American Society of Civil Engineers.

FIG. 7

Effects of 5-FU/NM-3 on MDAMB-435 human breast tumor xenografts



**FIG. 8**

Effect of NM-3, IR and the Combination on Lewis Lung Carcinoma tumors






FIG. 9

Effect of NM-3, IR and the Combination on the Growth of Seq-1 Tumors in Nude Mice



A



B







FIG. 10



**FIG. 11**




**FIG. 12**



**FIG. 13**

A



B




FIG. 14